Date:

19 June 2001

To:

Bechtel Hanford Inc. (technical representative)

From:

TechLaw, Inc.

Project:

JA Jones Verification Sampling - Soil

Subject: Inorganics - Data Package No. H1334-LLI (SDG No. H1334)



INTRODUCTION

EDMC

This memo presents the results of data validation on Data Package No. H1334-LLI prepared by Lionville Laboratory Inc. (LLI). A list of samples validated along with the analyses reported and the method of analysis is provided in the following table.

Sample ID	Sample Date	Madia	Validation	Analysis
B11RN9	4/19/01	Soil	С	See note 1
B11RP0	4/19/01	Soil	С	See note 1
B11RP1	4/19/01	Soil	С	See note 1
B11RP2	4/19/01	Soil	С	See note 1
B11RP3	4/19/01	Soil	С	See note 1
B11RP4	4/19/01	Soil	С	See note 1
B11RP5	4/19/01	Soil	С	See note 1
B11RP6	4/19/01	Soil	С	See note 1
B11RP7	4/19/01	Soil	C	See note 1
B11RP8	4/19/01	Soil	С	See note 1
B11RP9	4/20/01	Soil	С	See note 1
B11RRO	4/20/01	Soil	С	See note 1
B11RR1	4/20/01	Soil	С	See note 1
B11RR2	4/20/01	Soil	С	See note 1

^{1 -} ICP metals by 6010A

Data validation was conducted in accordance with the Bechtel Hanford Incorporated (BHI) validation statement of work and the 100 Area Remedial Action Sampling and Analysis Plan (DOE/RL September 2000). Appendices 1 through 6 provide the following information as indicated below:

- Appendix 1. Glossary of Data Reporting Qualifiers
- Appendix 2. Summary of Data Qualification
- Appendix 3. Qualified Data Summary and Annotated Laboratory Reports
- Appendix 4. Laboratory Narrative and Chain-of-Custody Documentation

Appendix 5. Data Validation Supporting Documentation
Appendix 6. Additional Documentation Requested by Client

DATA QUALITY PARAMETERS

Holding Times

Analytical holding times for metals are assessed to ascertain whether the holding time requirements were met by the laboratory. The holding time requirements are as follows: Soil samples must be analyzed within 6 months for ICP metals.

All holding times were acceptable.

• Preparation (Method) Blanks

Preparation Blanks

At least one preparation blank, consisting of deionized distilled water processed through each sample preparation and analysis procedure, must be prepared and analyzed with every sample delivery group. In the case of positive blank results, samples with digestate concentrations less than five times the preparation blank value have had their associated values qualified as non-detected and flagged "U". Samples with concentrations of greater than five times the highest blank concentration do not require qualification.

In the case of negative blank results, if the absolute value exceeds the contract required detection limit (CRDL), all nondetects are rejected and flagged "UR" and all detects that are less than ten times the absolute value of the associated preparation blank result are qualified as estimates and flagged "J". If the absolute value of the negative preparation blank is greater than the instrument detection limit (IDL) and less than or equal to the CRDL, all nondetects are qualified as estimates and flagged "UJ" and all detects less than ten times the absolute value of the blank are qualified as estimates and flagged "J". If the sample results are greater than ten times the absolute value of the preparation blank, no qualification is necessary.

All preparation blank results were acceptable.

Field Blank

No field blanks were submitted for analysis.

Accuracy

Matrix Spike

Matrix spike (MS) analyses are used to assess the analytical accuracy of the reported data and the effect of the matrix on the ability to accurately quantify sample concentrations. Matrix spike recoveries must fall within the range of 70% to 130%. Samples with a spike recovery of less than 30% and a sample result below the IDL are rejected and flagged "UR". Samples with a spike recovery of 30% to 69% and a sample result less than the IDL are qualified "UJ". Samples with a spike recovery of greater than 130% or less than 70% and a sample result greater than the IDL are qualified as estimates and flagged "J". Finally, for samples with a spike recovery greater than 130% and a sample result less than the IDL, no qualification is required.

All matrix spike recovery results were acceptable.

Precision

Laboratory Duplicate Samples

Analytical precision is expressed by the relative percent differences (RPD) between the recoveries of matrix spike duplicate (MSD) analyses performed on a sample in the analytical batch. Precision may alternatively be assessed using unspiked duplicate analyses performed on a sample in the analytical batch. If both sample and replicate activities (concentrations) are greater than five times the CRDL and the RPD is less than 30%, no qualification is required. If either activity (concentration) is less than five times the CRDL, the RPD control limit is less than or equal to two times the CRDL. If the RPD is outside the applicable control limit, associated results are qualified as estimated detects or estimated non-detects.

All laboratory duplicate results were acceptable.

Field Duplicate

Two sets of field duplicate samples were submitted for analysis (B11RN9/B11RPO and B11RP4/B11RP5). The duplicate sample results were compared using the validation guidelines for determining the RPD between a sample and its duplicate. All field duplicate results were acceptable.

Analytical Detection Levels

Reported analytical detection levels are compared against the 100 Area Remedial Action Sampling and Analysis Plan TDLs to ensure that laboratory

detection levels meet the required criteria. All reported detection limits met the analyte specific TDL.

Completeness

Data package No. H1334-LVI (SDG No. H1334) was submitted for validation and verified for completeness. Completeness is based on the percentage of data determined to be valid (i.e., not rejected). The completion percentage was 100%.

MAJOR DEFICIENCIES

None found.

MINOR DEFICIENCIES

None found.

REFERENCES

BHI, MRB-SBB-A23665, Validation Statement of Work, Bechtel Hanford Incorporated, September 5, 1997.

DOE/RL-96-22, Rev. 2, 100 Area Remedial Action Sampling and Analysis Plan, U.S. Department of Energy, September 2000.

Appendix 1 Glossary of Data Reporting Qualifiers

Qualifiers which may be applied by data validators in compliance with BHI validation SOW are as follows:

- Indicates the compound or analyte was analyzed for and not detected in the sample. The value reported is the sample quantitation limit corrected for sample dilution and moisture content by the laboratory.
- UJ Indicates the compound or analyte was analyzed for and not detected in the sample. Due to a minor QC deficiency identified during the data validation, the associated quantitation limit is an estimate.
- J Indicates the compound or analyte was analyzed for and detected. Due to a minor QC deficiency identified during the data validation, the associated concentration is an estimate, but the data are usable for decision-making purposes.
- BJ Applied to inorganic analyses only. Indicates the analyte concentration was greater than the IDL but less than the CRDL and is considered an estimated value.
- R Indicates the compound or analyte was analyzed for, detected, and due to an identified major QC deficiency, the data are unusable.
- UR Indicates the compound or analyte was analyzed for and not detected in the sample. Additionally, the data is unusable due to an identified major QC deficiency.
- NJ Indicates presumptive evidence of a compound at an estimated value. The data may not be valid for some specific applications (i.e., usable for decision-making purposes).
- Indicates presumptive evidence of a compound. The data may not be valid for some specific applications (i.e., usable for decision-making purposes).

Appendix 2
Summary of Data Qualification

DATA QUALIFICATION SUMMARY

SDG: H1334	REVIEWER: TLI	DATE: 6/19/01	PAGE_1_0F_1_
COMMENTS: No qualifi	ers assigned		

Appendix 3

Qualified Data Summary and Annotated Laboratory Reports

Project: BECHTEL-H	ANFORD																			
Laboratory: LLI]						•										
Case	SDG: H	1334		1										_						
Sample Number		B11RN9		B11RP0		B11RP1		B11RP2		B11RP3		B11RP4	B11RP5		B11RP6		B11RP7			
Remarks				Duplicate								Duplicate								
Sample Date		4/19/01		4/19/01		4/19/01		4/19/01		4/19/01		4/19/01	4/19/01		4/19/01		4/19/01			
Inorganice	TDL	Result	Q			Result	Q		Q	Result (ì	Result Q		Q.		Q	Result	Q	Result	a
Barium		74.50		74.3		71.7		74.5		80.6		66.4	68.6	_	87.0		75.2			
Cadmium		0.44	U	0.43	υ	0.43	υ	0.47	υ	0.45 U	J	0.47	0.44	ū	0.44	U	0.44	Ū		
Chromium	0.5	9.8		8.8		9.0		9.2		10.0		8.6	8.8		26.1	T	9.1			
Lead	2	9.8		7.0	<u> </u>	8.4		7.5	L.	17.1		6.4	4.9		76.7		8.8			7
																				T
																			-	1
																1			··········	
							T										<u> </u>			\top
	T	1		_				l												T
			T																	1
	T^{-}																			1
	-	l																		\top
	T																			
	1																			
														-						T
	7																L^{-1}	7		
	1												L							
,									Ĺ									$_{-}$ T		
	1																			
	1		J _	J																
														_						

Project: BECHTEL-HA Laboratory: LLI				1															-		
Case	SDG: H	224		1																	
Sample Number	Joba. II	B11RP8		B11RP9		B11RRO		B11RR1		B11RR2		T		,	_	J		T		Т	
Remarks		D. 110 C		5,,,,,,			_	Duplicate		<u> </u>				1				-		 	
Sample Date		5/24/01		5/24/01		5/24/01		5/24/01		5/24/01		 				 		 		 	
norganic Anaysis	CRDL		Q	Result	α	Result	Q		Q			Result	a	Requit	Q	Result	Q	Result	Τα	Result	I
Barium	1 3.00	63.9		70.1		72.6		70.2		101		1	1		1=-	1	† <u> </u>	1	 	 	ナ
Cadmium	 	0.42	Ü	0.43		0.44	U	0.43		0.50			1		1 -		1	\vdash	 	 	ヿ
Chromium	0.5	7.9		8.4		10.3		8.0		16.0			1		1		+	 	 		┪
.eed	2	5.6		8.2		8.0		9.6		14.4			1		1				†	—	7
	†						1				1_				T^-		1		1	 	7
	 		<u> </u>	 					1	<u> </u>		T			T^-		 		✝	†	┪
	T -		1				Γ			1	I^-		T		Τ-	<u> </u>	1		T^{T}		
	1		$\overline{}$	1	T]]	Ī	T	1			Î –	1		1		
			<u> </u>				T				┌─								1		
	1										1				T						_
	 											1	1		T^{-}				\vdash		_
			1					7]	T		1		厂		
																			\Box		
······································	·									· ·					T						
										L											
 .											L^{-}	Ī	Ι	1	L	·	Ι.		Τ		_
····						i					LT										
	1																				
						[L^{-}	I			L						
											L^{-}						Τ				
										l		T	I				Ι.				
										L											
							L												L		
											L						Ĺ		L		
												L									
										L					L			L	<u></u>		
										ļ	L								匚		
	1								F		I	1	1		1	1					Ī

INORGANICS DATA SUMMARY REPORT 05/16/01

CLIENT: TNUHANFORD B01-074 H1334 MORK ORDER: 11343-606-001-9999-00 LVL LOT #: 0104L617

					REPORTING	DILLION
Sanple	SITE ID	ANALYTE	Result	Units	LIMIT	PACTOR
*****			*****			2222224
-001	Blirns	Barium, Total	74.5	MG/KG	0.35	1.0
		Cadmium, Total	0.44 u	MG/KG	0.44	1.0
		Chromium, Total	9.2	NG/KQ	0.40	1.0
		Lead, Total	9.8	MG/KG	3.2 .	1.0
-002	B11RP0	Barium, Total	74.3	MG/KG	0.34	1.0
		Cadmium, Total	0.43 u	MG/KG	0.43	1.0
		Chromium, Total	8.8	MG/KG	0.39	1.0
		Leed, Total	7.0	MG/KG	3.2	1.0
-003	Blirpl	Barium, Total	71.7	MG/KG	σ.34	1.0
		Cadmium, Total	0.43 u	MG/KG	0.43	1.0
		Chromium, Total	9.0	MG/KG	0.39	1.0
		Lead, Total	8.4	ng/kg	3.1	1.0
-004	511RP2	Barius, Total	74.5	NG/KG	0.35	1.0
		Cadmium, Total	0.47	NG/KG	0.45	1.0
		Chromium, Total	9.2	MG/KG	0.40	1.0
		Lead, Total	7.5	ng/kg	3.2	1.0
-005	B11RP3	Barium, Total	80.6	MG/KG	0.36	1.0
		Cadmium, Total	0.45 t	ng/kg	Q. 4 5	1.0
		Chromium, Total	10.0	NG/KG	0.41	1.0
		Lead, Total	17.1	MG/KG	3.3	1.0
-906	B11RP4	Berlum, Total	66.4	NG/KG	0.34	1.0
		Cadmium, Total	0.47	NG/KG	0.43	1.0
		Chromium, Total	8.6	MG/KG	0.39	1.0
		Lead, Total	6.4	MG/KG	3.1	1.0
-007	B11RP5	Berium, Total	68.6	MG/KG	0.35	1.0
		Cadmium, Total	0.44 u	•	0.44	1.0
		Chromium, Total	0.B	ng/kg	0.40	1.0
		Lead, Total	4.9	ng/kg	3.2	1.0
-908	B11RP6	Barium, Total	87.0	MG/KG	0.34	1.0
		Cadmium, Total	0.44 1	: NG/KG	0.44	1.0
		Chromium, Total	26.1	NG/KG	0.39	1.0
		Lead, Total	76.7	MG/KG	3.2	1.0

SZ Coff9/01

INORGANICS DATA SUMMARY REPORT 05/16/01

CLIENT: TNUHAMPORD 801-074 H1334 WORK ORDER: 11343-606-001-9999-00 LVL LOT #: 0104L617

					reporting	DILUTION
sample	SITE ID	ANALYTE	rrsult	UNITS	LIMIT	PACTOR
4620248		*************************************	22004420	******	********	********
-009	B11RP7	Barium, Total	75.2	NG/KG	0.35	1.0
		Cadmium, Total	0.44 u	NG/KG	0.44	1.0
		Chromium, Total	9.1	Mg/KG	0.40	1.0
		Lead, Total	8.5	ng/kg	3.2	1.0
-010	B11RP\$	Barium, Total	63.9	ng/Kg	0.33	1.0
		Cadmium, Total	0.42 u	MG/KG	0.42	1.0
		Chromium, Total	7.5	NG/KG	0.38	1.0
		Lead, Total	5.6	MG/KG	3.0	1.0
-011	B11RP9	Barium, Total	70.1	HG/KG	0.34	1.0
		Cadmium, Total	0.43 u	MG/KG	0.43	1.0
		Chromium, Total	8.4	MG/KG	0.39	1.0
		Lead, Total	8.2	MG/KG	3.1	1.0
-012	B11RR0	Barium, Total	72.6	NG/KG	0.34	1.0
		Cadmium, Total	0.44 u	MG/KG	0.44	1.0
		Chromium, Total	10.3	MG/KG	0.46	1.0
		Lead, Total	8.0	MG/KG	3.2	1.0
-013	B11RR1	Barium, Total	70.2	NG/KG	0.34	1.0
		Cadmium, Total	0.43 u	ng/kg	0.43	1.0
•		Chromium, Total	8.0	MG/KG	0.39	1.0
		Lead, Total	9.6	MG/KG	3.1	1.0
-014	B11RR2	Berium, Total	101	MG/KG	0.34	1.0
		Cadmium, Total	0.50	MG/KG	0.43	1.0
		Chromium, Total	16.0	NG/KG	0.39	1.0
		Lead, Total	14.4	MG/KG	3.1	1.0

X-Ce/19/01

Appendix 4

Laboratory Narrative and Chain-of-Custody Documentation



Analytical Report

Client: TNU-HANFORD B01-074

LVL#: 0104L617

SDG/SAF#: H1334/B01-074

W.O.#: 11343-606-001-9999-00

Date Received: 04-26-01

METALS CASE NARRATIVE

- 1. This narrative covers the analyses of 14 soil samples.
- The samples were prepared and analyzed in accordance with methods checked on the attached glossary.
- 3. All analyses were performed within the required holding times.
- 4. The cooler temperature has been recorded on the Chain of Custody.
- 5. All Initial and Continuing Calibration Verifications (ICV/CCVs) were within the 90-110% control limits (80-120% for Mercury).
- 6. All Initial and Continuing Calibration Blanks (ICB/CCBs) were within control limits (less than the PQL).
- 7. All preparation/method blanks (MB) were within method criteria {less than the Practical Quantitation Limit (3X the IDL), MB value less than 5% of the RCRA limit, or samples greater than 20X MB value}. Refer to the Inorganics Method Blank Data Summary.
- 8. All ICP Interference Check Standards were within control limits.
- 9. All laboratory control samples (LCS) were within the 80-120% control limits. Refer to the lnorganics Laboratory Control Standards Report.
- 10. All matrix spike (MS) recoveries were within the 75-125% control limits. Refer to the Inorganics Accuracy Report.
- 11. The duplicate analysis for 1 analyte was outside the 20% Relative Percent Difference (RPD) control limits. Refer to the Inorganics Precision Report.
- 12. For the purposes of this report, the data has been reported to the Instrument Detection Limit (IDL). Values between the IDL and the Practical Quantitation Limit (PQL) are acquired in a region of less-certain quantification.

- 13. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.
- 14. As of January 27, 2001, Recra LabNet Philadelphia became Lionville Laboratory Incorporated. Some forms may still reference Recra LabNet Philadelphia.

Iain Daniels

Deputy Laboratory Manager

Lionville Laboratory Incorporated

gmb/m04-617

05-29-01



																
	Hanford Inc.			CH	IAIN OF CU			E ANAL	LYSIS	REQUE	ST	В	01-074-3	Page 1	of <u>\$</u>	
Collector Thomas, GS	Forthere			Compa Lerci	ny Contact L, JA	Telepho 373-	ine No. 1904			Project Con TRENT, SJ	rdiaetor	Price Code	8L		Data Turnsround	
Project Designation JA Jones Verification	on Sampling - Soil				ng Location ones Excavation					SAF No. B01-074		Air Qualit	y []]		Days	
Ice Chest No.	2.8			Field L	egheck No. 6 518 EL1517	2-4/11/1	COA RUONES	2E00		Method of Si Fed Ex	kipmen1					
Shipped To- TM//RECRA				Offsite	Property No.	ABIC	24	7_		BIN of Legis		7954	- 79	33		
	E HAZARDS/REMARI	(S				· · · · · · · · · · · · · · · · · · ·	1	1	1	· · ·		· (C) ·	10.	i	i	
					Preservation	Cool 4C										
Special Handling	and/or Storage			1	Type of Container		<u> </u>	ļ						<u> </u>		
_					No. of Container(s)	1	}			1	1		l	1	
					Volume	250mL										
	SAMPLE	ANALYSIS	;			See item (1) in Special Instructions.									2000	
•		·												IET	103	
Sample No.	Matrix *		Sampl	Date	Sample Time	No.	连舞的	$J_{i_{1}\ldots i_{m-1}}^{(i_{m})}$. !				
B11RN9	SOIL		19	9	1240	K								BURL		
B11RP0	SOIL	4	[4	9	1240	15	<u> </u>	<u> </u>	<u> </u>					BURL	9	
B11RP1	SOIL	y	111	[0]	1300	X			<u>L</u>					BURN	0	
B11RP2	SOIL	Ų	115	0	1310	X		<u> </u>	<u> </u>					BURM	1	
B11RP3	SOIL	4		1/01	1300	X	<u> </u>	<u> </u>	<u> </u>					BII RM	<u> </u>	
CHAIN OF POS				n/Print l				IAL INSTI	RUCTIO	NS					Matrix *	
Letinquished By/Removed 13. FLOL F Letinquished By/Removed Clinylliphed By/Removed Letinquished By/Removed Let Letinquished By/Removed	From Dule Time 4.26-01 9:	01 SH 60 ZSJ01 04 00 101 135	Parison Control	By Stored By/Stored	R.Thorer	Date/Time Date/Time Date/Time Date/Time Date/Time Date/Time	(i) 1	Samp 3728 : Collec	iles store Shippin ctor not les an 4	ed in Ref.# 5 g Facility on available to 125 01	Cat the 4/14/	h	- GORDA (AUG		S. South SD. School on SD. Sch	
clinquished By/Removed	Ferm Date/Time	Re	ceived	Ry/Stored	le I	Date/ Fime		4.75	י וס,	, - -		1115/0	<i>! </i>			
LABORATORY RESECTION	eceived By					Tid	e						Dat	te/Lime		
DISPOSITION	isposal Method							Dispo	sed fly				Da	ste 1 mm		

Bechtel Hanford Inc. CHAIN OF C						USTODY/SAMPLE ANALYSIS REQUEST							Page 2	of <u>5</u>
Collector Thomas, GS	بطاطه	<u> </u>		eay Coninci ch, JA	Telepho 373-5	ne No. 904			Project Co TRENT, S.	ordinator	Price Code	8L		eraurouad
Project Designation JA Jones Verifica		9		ling Location Jones Excavation					SAF No. B01-074	(-	Air Qualit	y [,]	21	Days
Ice Chest No.	R.8		Field Siz	Legbook No. (24)	419-01	COA RJONES2	E00		Method of Fed Ex	Shipment				
Shipped To TMA(RECRA)			Offsic	e Property No.	DI03	42			BULL TO	35	M954.	-393	3	_
POSSIBLE SAMI	PLE HAZA	RDS/REMARKS					}					1	1	
				Preservation	Cool 4C		<u> </u>	<u> </u>				1	{	1
C	Atom 6	5		Type of Container	aG									
Special Handlin	g ang/er :	otorage		No. of Container(s)	'							1		Ø
				Volume	250mL								·	0
· · · · · · · · · · · · · · · · · · ·	· <u> </u>	Sample anal	YSIS		See Item (1) in Special Instructions.)000
-													he	12
Sample N	0.	Matrix *	Sample Date	Sample Time	Salary-		大明隆	· * * * * * * * * * * * * * * * * * * *	r in a sign		·†.			
B11RP4		SOIL	0 19 10	1 1340	K			<u>L</u> .					BILRA	3
B11RP5		SOIL_	7/(1901	1340	×								BURM	<u> </u>
B11RP6		SOIL	4/19/01	1355	1								BILRY	4
B11RP7		SOIL	4/15/0	1405	X								BIIRM	5
B11RP6		SOIL.	4/19/0		×	<u> </u>		<u> </u>	<u>L</u>				BURK	6
CHAIN OF P			Sign/Frint		te/Time 12		iai, instr	UCTIO	NS					Matrix *
A D. 7	C fo h	then 4.1501	Received By/Stor	TETHORON	-01	න වැ	Samples 3728 Shi	stored pping f	in Ref.# <u>Z</u> acility on nilable to a	1 _at the 4 /20/0		- 6010A (Add-c		S-Sull SF Scalescene SFB Scalescene SFB Scalescene FE cityl A has A has SFB Strong Schola SFB Strong FB STrong
clinquished By/Remov	ed From	Date/Time	Received By/Store	ed In O Dat	e/lime						1/25/01	!		Sir pitania Situa
LABORATORY SECTION	Received By			<u> </u>	Tick	<u> </u>		<u></u>		<u></u>	· · · · · · · · · · · · · · · · · · ·	Dat	te/Lime	
INAL SAMPLE DISPOSITION	Disposal Met	fled			 .	· · · · · · · · · · · · · · · · · · ·	Dispers	ed By				1301	k lime	

Bechtel Hanfo	rd Inc.		CHA	IN OF CUST	FODY/S	AMPL	TI BE ALVABIBIS REQUEST						['sec	of <u>\$</u>	
Collector Thomas, GS F. h.	lberg		mpany C Lerch, JA		Telepho 373-5			<i></i>		ject Coord NT, SJ	palor	Price Co	de 8L	-	urnaround
Project Designation JA Jones Verification Sample			mpling L JA Jones	ecation Excavation					SAI BOI	No. -074		Air Qua	ality [[]	. 21	Days
ice Chest No. ER-8			id Laghe Sb-1918	ELISIT	•	COA RJONES2	E00			hod of Ship ed Ex	meni				
Shipped 24 TMA/RECRA		Off	bite Proj	perty No.	\$10°	, 47			Bäll	of Ladies	생행	795	4-39	33	
POSSIBLE SAMPLE HAZA	RDS/REMARKS		-				1		`	•	-] '	"	1	1
				Preservation	Conl 4C										
Special Handling and/or S	itorage		Ту	pe of Container	#G									-	· [
			No.	of Container(s)											57
				Volume	250mi.										3.0
	Sample anai	Lysis			See item (1) le Speciel Instructions										000
-								<u> </u>		_					tret
Sample No.	Matrix *	Sample Da	de	Sample Time	新作	·武建 26	170947		<i>5</i> 11				i		
B11RP9	SOIL	4/201	<u>-1</u>	0819	አ			<u> </u>	\dashv	:					131170
B11RR0	SOIL	4/20	•	1820				<u> </u>		· · · · · · · · ·			_	<u></u>	BURN
B11RR1	SOIL	4120		0830	×				\dashv						BIRM
B11RR2	SOIL	4120	_ ہہ	0840	X			<u> </u>							BURN
911RR3								<u> </u>				_1			<u> </u>
CHAIN OF POSSESSIO			iat Nam			SPEC	IAL INSTR	RUCTIO	NS						Matrix *
Shrutshed By/Removed From	128 4.25.0	R.A.	itaned in the state of the stat	Date of 4-16-0		5) Si Si Si Si Si	P Metals - 60 amples stor 28 Shippi offector no mples on 4	red in R ng Facil it availa	lef.#	Zal the	<u>'01</u> . sh	ini); icipak	cials - 6010A (A ₁ 61-1	ng) (Lend)	C Soid St Schmint St Schmint St Sold St Shide Shi
SECTION							Dispus	and Re					L9	e Ione	
FINAL SAMPLE Disposal Met DISPOSITION	tiod						L AIN(IN 15	ed Dy				<u>-</u>	l Jat		

Appendix 5

Data Validation Supporting Documentation

WHC-SD-EN-SPP-002, Rev. 2

INORGANIC ANALYSIS DATA VALIDATION CHECKLIST

BURPY B	ANALYS OCLPAN OSW-SHEAMS I/RPO DE	SDG: SES PERFORMED CLP/Cyunida SW-846 Cyunida 3/1/RP/		18/4
CASE: QCLPACP QCLPACP DCLPACP DCLPACP DEW-MARKER SAMPLES/MATRIX TO ATTA PACKAGE COMPLETE To a case narrative processors To a case narrative processor	ANALYS O CLPMO FAM D SW-SMEANS I/RPO DE R/JRPS BE	SDG: SES PERFORMED CLP/Cyunida Cyunida 3// RP/ J	H1339	0 0
SAMPLES/MATRIX BIRPY BI	IMPO B	ES PERFORMED CLP/Cyunida SW-8446 Cyunida 3/1/07/7/	31/RP2 331/RP7	0
SAMPLES/MATRIX BILBU9 BILRPY BILRPY BILRPY BILRPY BILLPY BILLPY	IMPO B	CLP/Cyunida CSW-848 Cyunida 3 // RP/ 8	31/RP2 31/RP7	0
SAMPLES/MATRIX BILBU9 BILRPY BILRPS BILLPS BILLPS	I/RPO DE	311 RP1 13	31/RP2 31/RP7	0
SAMPLES/MATRIX BIRDY BIRPY BI BINRPY BI BINRPY BI TSINRPS IS technical verification a case narrative pro-	IIRPO DE	311 RP1 13 1311 RP4 19	31/RP2 B11RP7	
BIIRN9 BI BIIRPY BI TSINPS BI L. DATA PACKAGE COMPLE Is technical verificat Is a case narrative pro-	IIRPS 8	311076 1	B11RP7	BIJRPS BIJRPS
BILRPY BILL BATA PACKAGE COMPLETE technical verifications a case narrative pro-	IIRPS 8	311076 1	B11RP7	BIIRPS BIIRPS
TSINRPS (S) I. DATA PACKAGE COMPLE Is technical verificat Is a case narrative pr				BIIRPS
I. DATA PACKAGE COMPLI Is technical verificat Is a case narrative pr	INRO O	BURRY	BIJORPR	
i. DATA PACKAGE COMPLI Is technical verificat Is a case narrative pr				•
	esent?	• • • • • •	• • • • •	Yes) No N/
2. HOLDING TIMES Are sample holding tim Comments:			(Yes No N/

WHC-SD-EN-SPP-002, Rev. 2

INORGANIC ANALYSIS DATA VALIDATION CHECKLIST

Yes No N/A
Yes No N/A
Yes No N/A
Yes No N/A
Yes No N/A
Yes No N/A Yes No N/A Yes No N/A Yes No N/A
Yes No N/A Yes No N/A Yes No N/A
. Yes No N/A . Yes No N/A . Yes No N/A
. Yes No N/A . Yes No N/A . Yes No N/A
Yes No N/A Yes No N/A Yes No N/A
(Ps No N/A Yes No N/A
. Yes (6) N/A
Yes 60 N/A
Yes No (N/A)
_
(Yes) No N/A
Man At /A
Yes No N/A
Yes No N/A

000022

WHC-SD-EN-SPP-002, Rev. 2

INORGANIC ANALYSIS DATA VALIDATION CHECKLIST

6. PRECISION					
Were laboratory duplicates analyzed?	•		(ves)	No	N/A
Are laboratory duplicate samples RPD values acceptable? .				No	N/A
Were ICP serial dilution samples analyzed?	•		Yes	No	(N/A)
Are ICP serial dilution 4D values acceptable?	• 1		Yes	No	NA
Are field duplicate RPD values acceptable?	•	• ((es	No	N/A
Are field split RPD values acceptable?	•	• (Yes	No	MIR
Comments:					
7. FURNACE AA QUALITY CONTROL					
Were duplicate injections performed as required?			Vac	No	N/A
Are duplicate injection 4RSD values acceptable?				No	N/A
Were analytical spikes performed as required?				No	N/A
Are analytical spike recoveries acceptable?				No	N/A
Was MSA performed as required?				No	N/A
Are MSA results acceptable?				No	N/A
Comments:				-	
8. REPORTED RESULTS AND DETECTION LIMITS					
Are results reported for all requested analyses?			(2)	N-	N/A
Are all results supported in the raw data?				No	
Are results calculated properly?				No	
Do results meet the CRDLs?				No	N/A
Comments:	•	•		170	
					_

N-ZZ

Appendix 6

Additional Documentation Requested by Client

INORGANICS METHOD BLANK DATA SUMMARY PAGE 05/16/01

CLIENT: TNUHANFORD B01-074 H1334

LVL LOT #: 0104L617

WORK ORDER: 11343-606-001-9999-00

					KRLOKITMO	DIPOLICA	
SAMPLE	SITE ID	AKALYTE	RESULT	UNITS	LIMIT	PACTOR	
*****	*******						
BLANKI	01L0235-MB1	Barium, Total	0.34 u	MG/KG	0.34	1.0	
		Cadwium, Total	0.43 u	MG/KG	0.43	1.0	
		Chromium, Total	0.39 u	NG/KG	0.39	1.0	
		Lead, Total	3.1 u	MG/KG	3.1	1.0	

INORGANICS ACCURACY REPORT 05/16/01

CLIENT: TNUHANPORD B01-074 H1334 WORK ORDER: 11343-606-001-9999-00

LVL LOT #: 0104L617

		Spiked	INITIAL	SPIKED		DILUTION
SITE ID	ANALYTE	SAMPLE	RESULT	INDONA	*RECOV	FACTOR (SPK)
**************			*****			
B11RN9	Berium, Total	282	74.5	204	101.7	1.0
	Cadmium, Total	5.1	0.44u	5.1	100	1.0
	Chromium, Total	29.9	9.0	20.4	98.5	1.0
	Lead, Total	57.3	3.1	50.9	93.3	1.0
	*************	Blinns Barium, Total Cadmium, Total Chromium, Total	BITE ID ANALYTE SAMPLE BITENS Barium, Total 282 Cadmium, Total 5.1 Chromium, Total 29.9	### SAMPLE RESULT ###################################	### SITE ID AMALYTE SANPLE RESULT AMOUNT ####################################	B11RN9 Barius, Total 282 74.5 204 101.7 Cadmium, Total 29.9 9.8 20.4 98.5

INORGANICS PRECISION REPORT 05/16/01

CLIENT: THUHAMFORD B01-074 H1334

LVL LOT #: 0104L617

WORK ORDER: 11343-606-001-9999-00

			INITIAL				DILUTION		
Sample	SITE ID	ANALYTE	RESULT REPLICATE RPD				FACTOR (REP)		
	*************	2500477000000000000000000000000000000000		*********	******				
-001EEP	BILRNO	Sarium, Total	74.5	77.2	3.6		1.0		
		Cadmium, Total	0.44u	0.44	**	200	1.0		
		Chromium, Total	9.8	9.5	3.1		1.0		
		Lead, Total	9.8	8.4	15.4		1.0		

J29/01

Duncan, Jeanette M

From:

Weiss, Richard L

Sent:

Wednesday, June 20, 2001 10:38 AM

To:

Duncan, Jeanette M

Subject:

FW: Review of Validation Packages H1334 and H1367

Revised to include comments from J. Lerch

--Original Message----Weiss, Richard L

From:

Sent:

To:

Subject:

Tuesday, June 19, 2001 2:36 PM
Duncan, Jeanette M
Review of Validation Packages H1334 and H1367

Jeaette.

H1334

Page 3 "Field Duplicates": This section normally has a descriptions of the criteria used for evaluation. Should be included.

Pages 1/4 "References"; Issue date for the SAP, Rev 2, is September 2000.

Pages 10/11; The referenced SAP does not define a TDL for Barium.

H1367

Page 4 "Field Duplicates"; This section normally has a descriptions of the criteria used for evaluation. Should be included.

Page 4 "Analytical Detection Levels; There were no non-detects for total chromium. These words probably were meant to apply to non-detects for chromium VI. However the wrong TDL was applied (taken from Rev 1 - 0.1 mg/kg). The Rev 2 value (0.5 mg/kg) shows no TDLs missed. Need to revise checklists (pg 36)

Page 4 "Minor Deficiencies"; Same comment regarding TDL as for comment above (Analytical Detection Levels).

Pages 1/5 "References"; Issue date for the SAP, Rev 2, is September 2000.

Pages 11.12.13: The correct TDL for CrVI is 0.5 not 0.1.

rich

	Review Comn		1. Date 06/20/01		2. Review No. QA01-006					
						3. Project JA Jones Verification Sampling		4. Page		
								Page 1 of 1		
5. Do	cument Number(s)/Title(s)	6. Program/Project/ Building Number	7. Revie	wer	<u> </u>	8. Organization/Gro	oup	9. Location/Phone		
SDG 1	No. H1334	JA Jones Verification Sampling - Soil	Claude	Stacey		BHI/QA H0-16		H0-16/372-92	0-16/372-9208	
17. Cor	nment Submittal Approval:	10. Agreement with indicated	comment disp	osition(s)		11. CLOSED				
Organization Manager (Optional)		Date	Reviewer/Point of Contact			Date		Reviewer/Point of Contact		
		Au	thor/Originator	iginator			Author/Originator			
12. Item	15. Comments, Discrepancy (5) (110 view to thin our justification		ve the Hold		15. Disposi	. Disposition (Provide justification if NOT ac			16. Status	
1	OK No comments									
2										
				,						
4				<u></u>						
5			·				<u>.</u>			
6										
	<u> </u>								<u> </u>	
8									ļ	
9				_	<u> </u>				<u> </u>	
10				-					<u> </u>	
11			ĺ						ł	